

## **PUBLIC NOTICE**

### **NORTHWEST CLEAN AIR AGENCY**

#### **DRAFT COMPLIANCE ORDER WITH A COMPLIANCE SCHEDULE**

NOTICE IS HEREBY given that the Northwest Clean Air Agency (NWCAA) will take action on and seeks comments on the issuance of a Compliance Order with a compliance schedule for the following facility:

**Air Liquide Large Industries U.S. LP  
8581 South Texas Road  
Anacortes, WA 98221**

Air Liquide Large Industries U.S. LP (Air Liquide) owns and operates an industrial gas facility on March's Point near Anacortes, Washington.

NWCAA issued a notice of violation (NOV 4188) to Air Liquide on December 15, 2015 in response to excess emissions of Nitrogen oxides (NO<sub>x</sub>) from the steam methane reformer furnace. The proposed compliance order provides resolution to NOV 4188 and includes a schedule for returning the unit to compliance with the permit on or before April 15, 2017.

The proposed draft compliance order 16 is available for review at the NWCAA offices or online at [http://nwcleanairwa.gov/the-latest/#public\\_notices](http://nwcleanairwa.gov/the-latest/#public_notices). Written comments relating to the issuance of this compliance order must be sent within 30 days of this notice to:

**Toby Mahar, P.E.**  
**Northwest Clean Air Agency 1600 South  
Second Street Mount Vernon, WA 98273**  
**Telephone: (360) 428-1617**  
**Email: [info@nwcleanairWA.gov](mailto:info@nwcleanairWA.gov)**

A public hearing may be held if the NWCAA determines that there is significant public interest. Requests for a public hearing must be submitted within the comment period. Any such requests must indicate the interest of the person or organization filing the request, and describe why a public hearing is necessary.

The Northwest Clean Air Agency is publishing this Notice pursuant to NWCAA Regulation 305.2(3). Compliance Order 16 is issued pursuant to RCW 70.94.141 and NWCAA Regulations 103 and 121.