

January 2012





Sulfur Dioxide - 1 hour max																															
ppb		Date																													
Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BP	5	22	20	23	8	11	5	6	17	6	6	6	6	13	8	16	6	6	5	6	14	23	29	16	7	9	13	8	17	21	22
ALCOA	1	60	20	20	61	10	1	1	55	1	1	1	2	28	3	52	2	2	1	1	43	26	88	41	62	41	77	5	9	68	18
FCC-Custer	1	15	24	17	20	13	2	2	14	2	2	2	2	9	2	14	6	1	1	1	11	9	16	3	16	8	12	2	12	12	13
Conoco Phillips	2	3	3	3	3	10	2	2	4	3	3	2	3	3	5	4	3	2	2	3	3	3	3	3	3	4	4	3	4	4	4
March Point	3	3	3	3	3	3	3	3	3	6		4	4	4	3	3	3	5	10	4	3	3	3	3			3	3	3	3	
Tesoro	5	6	56	33	8	18	7	10	8	1	0	0	1	0	0	1	0	0	0	8	6	13	9	16	4	2	2	12	9	5	10
Shell	6	4	3	5	3	4	4	4	5	3	4	3	4	3	3	5	3	5	4	3	3	3	7	5	4	4	4	4	4	5	5
Anacortes			0	0					0	1	0	1	1	0	0	0	0	0	0	1	0	0	0	0	3	0	2	2	2	2	2
General Chemical	4	16	5	9	5	4	4	6	14	16	6	7	7	6	7	6	8	11	5	5	6	5	6	6	6	6	8	5	6	6	5
Good (0 to 35) Moderate (36 to 75) Unhealthy for Sensitive Groups (76 to 185) Unhealthy (>185)																															

