


Note: All color coding according to USEPA AQI breakpoints



ppb															Date													
Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BP	0	0	0	0	2	3	3	2	1	1	1	1	1	1	1	1	1	1	1	0	1	0	1	0	0	0	0	1
ALCOA																												
FCC-Custer	1.9	1.1	1.3	1.0	6.2	5.1	5.1	2.9	1.0	1.5	1.1	1.1	1.8	1.4	1.1	1.0	1.1	2.0	1.7	1.3	1.1	1.1	2.0	1.6	1.4	0.4	0.4	0.3
Phillips 66	1	2	0	0	2	2	2	1	1	0	2	1	2	2	1	4	4	3	3	4	3	2	9	2	2	2	2	8
March Point	3	2	2	2	2	2	2	3	3	2	2	2	2	6	3	3	8	3	2	2	17	4	5	3	2	2	9	8
Tesoro	5	0	2	0	2	3	7	8	5	1	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	(
Shell	5	2	3	10	5	6	4	10	6	8	9	7	9	2	1	3	3	7	1	2	3	5	7	2	1	9	3	3
Anacortes																							1.1	1.0	1.4	8.0	0.9	0.9
ChemTrade	6	5	5	5	5	5	5	5	7	5	5	17	6	6	26	48	17	5	5	9	8	14	6	6	5	6	7	19

Monoxide - 1 hour max ppb															Date													
Station	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
FCC-Custer	245	212	216	229	240	204	216	197	205	230	284	262	219	304	258	198	252	336	231	234	255	293	313	313	294	271	220	318