



Application for Coverage under General Order of Approval GO 005: Spray Coating Facilities

I. INSTRUCTIONS

This application applies to facilities with a proposed new or modified spray booth and associated preparation station (together referred to as spray booth) that is located within the jurisdiction of the Northwest Clean Air Agency (Island, San Juan, Skagit, and Whatcom Counties, excluding tribal lands). To apply for coverage under this General Order of Approval GO 005, complete this application and submit it to the NWCAA. Coverage under this General Order is in lieu of submitting a Notice of Construction Application as required under Section 300 of the NWCAA Regulation.

- Read the General Order of Approval conditions. (available at <https://nwcleanairwa.gov>).
- Fill out and sign this application completely.
- Pay application fee (see Section III).
- Email, mail or drop off application:

Email: info@nwcleanairwa.gov
Phone: (360) 428-1617
Website: nwcleanairwa.gov

Office location: 1600 South 2nd
Street
Mount Vernon, WA 98273-5202

II. COMPANY INFORMATION

Company Name:	
Company Mailing Address (street, city, state, zip):	
Name and Title of Contact Person:	
Phone Number of Contact Person:	Email Address of Contact Person:
Name of Facility	
Physical Location of Facility (street, city, state, zip):	

III. CHECKLIST

YES ___ NO___	The spray booth will be installed inside a building and exhaust outside.
YES ___ NO___	The spray booth stack will exhaust vertically without obstruction at least 6 feet above the top of the building roof.
YES ___ NO___	All the spray guns used in the spray booth will be either high volume-low pressure (HVLP), electrostatic or equivalent transfer efficiency spray guns.
YES ___ NO___	The spray booth will not be used for spraying polyurea/polyurethane coatings or gelcoats/resins.
YES ___ NO___	Products will contain at most 3.6% (by weight) ethylbenzene.
YES ___ NO___	Products will not contain: naphthalene, diethanolamine, or compounds of chromium, lead, manganese, nickel, or cadmium.
YES ___ NO___	The combined total of all products used will be less than 490 gallons in each consecutive 12-month period.
YES ___ NO___	The spray booth exhaust filters will be at least 98.2% efficient at controlling particulate matter as determined by ASHRAE Method 52.1 or 52.2.
YES ___ NO___	The spray booth will be equipped with a readily visible manometer or magnahelic for measuring the pressure drop across the exhaust filters.
YES ___ NO___	All spray gun cleaning will be done in an enclosed cleaning device or by disassembling the guns and cleaning parts in a container.
YES ___ NO___	There have been <u>no</u> other spray booths installed at the facility within the last 18 months.
YES ___ NO___	The spray coating operations at the proposed location <u>are</u> allowed by the city, or if in an unincorporated area, allowed by the county.

If ANY of the answers above are NO, the spray booth is NOT eligible for the General Order and you must submit an application for a case-by-case permit (known as a Notice of Construction, application available at <https://nwcleanairwa.gov/toolkit/permit-application-4/>).

III. APPLICATION FEE

A fee of \$1,226 is required.

If paying by check, mail check to address in Section I.

If paying by credit card, go to nwcleanairwa.gov and click "Pay Online". Select "New Source Review Fee" from Payment Type menu.

Are you paying on line? YES ___ NO___ If no, have you included a check? YES ___ NO___

IV. SIGNATURE

I certify, based on information and belief formed after reasonable inquiry, that the statements and information in this application are true, accurate, and complete.

Print Name _____ Title _____

Signature _____ Date _____